



ELSEVIER

Materials Science and Engineering, A192/193 (1995) 1001-1002

**MATERIALS
SCIENCE &
ENGINEERING**
A

Author Index of Volumes 192/193

- Ahmed, T., 155
Alman, D.E., 624
Angelo, J.E., 134
Anton, D.L., 658
Aoki, K., 316
Aoki, M., 24
Ardell, A.J., 333
Asaro, R.J., 97
Asthana, R., 356
Au, P., 324
- Baker, I., 1
Balsone, S.J., 457
Banerjee, D., 756, 763, 799
Bartels, A., 226, 698
Batson, P.E., 936
Beckman, J.P., 597
Beddoes, J., 324, 957
Benci, J.E., 38
Bergmann, G., 309
Bewlay, B.P., 534
Bhowal, P.R., 685, 891
Bieler, T.R., 729
Biscarini, A., 255
Blanche, G., 673
Boehlert, C.J., 483
Bowen, P., 379, 427, 443
Brzeski, J.M., 268
- Castagna, A., 399
Chaki, T.K., 387, 570
Chang, W.S., 233
Chang, Y.A., 965
Chaturvedi, M.C., 899
Chave, R.A., 443
Chen, M., 647
Chen, T.R., 556
Chin, S., 658
Chin, T.S., 556
Chrzan, D.C., 120
Cockerham, B.V., 980
Coluzzi, B., 255
Costa, C., 255
Couto, A.A., 165
Crimp, M.A., 83
Crimp, M.J., 633
Crofts, P.D., 379
- Dao, M., 97
Darolia, R., 249, 268
David, S.A., 544
Daw, M.S., 134
Deevi, S.C., 604
DeMarco, H.K., 333
- De Paola, J.C.C., 165
Dimiduk, D.M., 111, 217, 465, 824
Dogan, C.P., 624
Dollar, M., 691
Douin, J., 92
Dunand, D.C., 186, 195
- Earthman, J.C., 811
Easton, D.S., 544
Enoki, M., 420
Es-Souni, M., 698
Eylon, D., 483
Ezz, S.S., 45
- Farkas, D., 125
Feist, T.P., 38
Feng, C.R., 862
Ferreira, P.I., 165, 549
Fischer, F.D., 149
Froes, F.H., 612
Fu, C.L., 14
Fuchs, G.E., 707
Fujita, S., 289
- Gale, W.F., 868
Gao, Y.-Q., 53
Garg, A., 356
George, E.P., 277, 873
Gerberich, W.W., 301
Gogia, A.K., 799
Goods, S.H., 120
Granato, A.V., 255
Grant, N.J., 741
Gray, III, G.T., 249
Gumbsch, P., 24
Guo, J.T., 577
- Hack, J.E., 268
Hall, I.W., 987
Hamada, N., 716
Han, Y.F., 899
Hanada, S., 407, 805, 848
Hawk, J.A., 624
Hayes, F.H., 155
Hayes, R.M., 240
Hazzledine, P.M., 340
Hirsch, P.B., 45
Hoehn, J.W., 301
Horsfield, A.P., 24
Horto, J.A., 769, 873
Horton, Jr., J.A., 170
Hosoda, H., 930
Hsiung, L.M., 908
- Hu, Z.Q., 577
Huang, C., 722
Huang, H., 301
Hug, G., 673
- Ikebuchi, M., 289
Inui, H., 289
Ishikawa, K., 316
Ishikawa, Y., 716
Isobe, S., 774
- Jackson, M.R., 534
James, A.W., 443
Jang, J.S.C., 204
Jeng, Y.L., 240
Jerina, K.L., 837, 881
Jin, Y., 899
Jin, Z., 729
Jones, I.P., 379
Jones, J.W., 457
Jones, R.H., 563
Joslin, D.L., 544
Jujur, I.N., 848
- Kad, B.K., 97, 340
Kallingal, C.G., 502
Kao, C.R., 965
Kaufman, M.J., 179
Kerry, S., 856
Khan, T., 69
Khantha, M., 435
Kim, H.K., 811
Kim, S., 965
Kim, Y.-W., 519
Kim, Y.W., 465, 474
Kimura, Y., 748
Kishi, T., 420
Koeppel, C., 226
Kolbe, M., 793
Konkel, W.A., 891
Korner, A., 262
Kumar, K.S., 92
Kumpfert, J., 465
- Larsen, Jr., D.E., 685
Larson, J.M., 457
Lavernia, E.J., 240
Lee, D.S., 824
Lee, P.Y., 556
Lee, W.B., 733
Lewandowski, J.J., 179
Li, C.G., 612
Li, G.H., 59
Li, H., 387, 563, 570

- Li, S.H., 899
 Li, Y.G., 914
 Li, Z.X., 211
 Lin, D.L., 647
 Lin, H., 277, 394, 647
 Lipsitt, H.A., 534
 Liu, C.T., 170, 277, 544, 769, 873
 Liu, Z.G., 577
 Loretto, M.H., 722, 914

 Ma, C.L., 407
 Ma, J.C., 38
 Makino, Y., 77
 Maloy, S.A., 249
 Marek, M., 994
 Marty, M., 69
 Maruyama, K., 716
 Mason, R.P., 741
 Masuda-Jindo, K., 104
 Masumoto, T., 316
 Maxwell, D.C., 457
 Mazzolai, F.M., 255
 Mecking, H., 226
 Merrick, H.F., 685, 891
 Mills, M.J., 120, 134
 Minonishi, Y., 830
 Miracle, D.B., 134
 Misawa, T., 413
 Mishima, Y., 748, 769, 930
 Mishra, R.S., 756, 763
 Miura, S., 748, 769
 Molenat, G., 793
 Morphy, D., 957
 Muddle, B.C., 233
 Muhlstein, C.L., 474
 Mukherjee, A.K., 733, 756, 763, 788
 Muller, D.A., 936
 Muraleedharan, K., 799

 Naka, S., 69
 Nakai, K., 922
 Nakano, T., 511
 Nandy, T.K., 799
 Nash, P., 691
 Nemani, R.V., 868
 Nembach, E., 793
 Nemec, C., 502
 Neto, R.M.L., 549
 Nguyen Manh, D., 24
 Ni, C.-Y., 987
 Nishisako, T., 289
 Noda, T., 774
 Noebe, R.D., 179, 333

 Ochmann, P., 364
 Ohmori, Y., 922

 Ohtsubo, H., 922
 Oikawa, H., 716
 Okabe, M., 774
 Oliver, B.F., 179
 Ono, T., 922

 Paidar, V., 142
 Parteder, E., 149
 Petrovic, J.J., 31
 Pettifor, D.G., 24
 Phan-Courson, I., 673
 Pope, D.P., 277, 394, 435, 658
 Pu, Z.J., 347, 780
 Purdy, G., 945

 Rack, H.J., 155
 Raj, S.V., 583
 Rajan, K., 502
 Rapp, R.A., 980
 Rawers, J.C., 624
 Reeder, W.J., 534
 Ritchie, R.O., 474
 Rogers, N.J., 379
 Rosenberg, Y., 788
 Rosner, H., 793
 Russ, S.M., 483
 Russell, K., 612

 Sabinash, C.M., 837
 Sadananda, K., 490, 862
 Sagar, P.K., 799
 Saitoh, H., 413
 Sass, S.L., 936
 Sastry, S.M.L., 837, 881
 Sauthoff, G., 817
 Sayashi, M., 774
 Schlögl, S., 149
 Shah, D.M., 658
 Sharrott, D., 83
 Shi, J., 347, 780
 Shinoda, T., 930
 Shirai, Y., 289
 Siegmund, T., 149
 Silcox, J., 936
 Smith, T.R., 502
 Sriram, S., 217
 Stoloff, N.S., 399, 502
 Stucke, M.A., 111, 824
 Subramanian, S., 936
 Suh, S., 691
 Sun, Y.Q., 45
 Suryanarayana, C., 612
 Suryanarayanan, R., 881
 Sutliff, J.A., 534
 Suzuki, T., 769

 Takahashi, T., 186, 195
 Takasugi, T., 407, 413, 805

 Ternes, K., 125
 Tewari, S.N., 356
 Thadhani, N.N., 604
 Thomas, M., 69
 Threadgill, P.L., 640
 Tiwari, R., 356
 Trail, S.J., 427
 Tsau, C.H., 204
 Turi, M.-L., 945

 Umakoshi, Y., 511

 Varin, R.A., 59
 Vasudevan, A.K., 490
 Vasudevan, V.K., 111, 217, 950
 Veeraraghavan, D., 950
 Vehoff, H., 309, 364
 Venkataraman, S.K., 301
 Venkateswara Rao, K.T., 474
 Veyssi re, P., 92
 Vitek, V., 24, 435

 Wadley, H.N.G., 908
 Wagner, R., 698
 Wallace, W., 324, 957
 Wang, J.S., 371
 Wang, Z.-M., 53
 Wang, Z.M., 211
 Ward-Close, M., 590
 Weatherly, G., 945
 Weaver, M.L., 179
 Weinberg, J.D., 134
 Whang, S.H., 53, 211
 Winstone, M.R., 856
 Wolfenstine, J., 240, 811
 Wood, M., 590
 Wu, K.H., 347, 780
 Wunnike-Sanders, W., 817

 Xie, Z.Y., 125

 Yamaguchi, M., 289
 Yang, H.S., 733
 Yang, J.L., 556
 Yao, Z., 994
 Yasuda, H.Y., 511
 Yeh, J.W., 204
 Yoltan, C.F., 597
 Yoo, M.H., 14
 Yoshida, M., 805

 Zeumer, B., 817
 Zhang, X.D., 914
 Zhang, Y., 647
 Zhao, L., 324, 957
 Zou, D., 347, 780
 Zou, J., 14



Subject Index of Volumes 192/193

Aerospace applications

- a preliminary assessment of the properties of a chromium silicide alloy for aerospace applications, 583

Age hardening

- age-hardening response of B2 Ti-Al-V, 155

Aging

- effect of 900-1150 °C aging on the microstructure and mechanical properties of a DS casting Ni₃Al-base alloy IC6, 899

Al

- the effects of interstitial content, heat treatment, and prestrain on the tensile properties of NiAl, 179

Alloys

- a preliminary assessment of the properties of a chromium silicide alloy for aerospace applications, 583
- a thermodynamic analysis of the brittleness of polycrystalline Ni₃Al alloy, 371
- cluster variation method approach to estimating vacancy properties in B2 type ordered NiAl and NiFeAl alloys, 930
- creep behaviour of an oxide-dispersion strengthened Ni₃Al-based alloy, 741
- creep behaviour of near γ -TiAl base alloys: effects of microstructure and alloy composition, 698
- creep behaviour of Ti₃Al-based titanium aluminide alloys containing molybdenum, 856
- creep in mechanically alloyed NiAl, 691
- deformation and fracture behavior of a directionally solidified Ni₃Al alloy, 647
- development of NiAl-based intermetallic alloys: effect of chromium addition, 356
- dislocation structures and deformation behavior of Ti-50/52 Al alloys between 77 and 1173 K, 217
- ductilization of Ni₃Al by alloying with boron and substitutional elements, 316
- effect of 900-1150 °C aging on the microstructure and mechanical properties of a DS casting Ni₃Al-base alloy IC6, 899
- effect of notches and microstructure on the fracture toughness of TiAl-based alloys, 347
- effect of pre-welding heat treatments on welding a two-phase Ni₃Al alloy, 563
- effect of refractory alloying additions on mechanical properties of near-stoichiometric NiAl, 170
- effect of silicon on elevated temperature properties of a Ti₃Al base alloy, 799
- effect of W additions to Ti-48Al-2Nb-2Cr alloys, 707
- effects of microstructure on the deformation and fracture of γ -TiAl alloys, 519
- effects of thermal exposure on the properties of two gamma alloys, 824
- fatigue-crack growth and fracture resistance of a two-phase ($\gamma + \alpha_2$) TiAl alloy in duplex and lamellar microstructures, 474
- high-temperature deformation of titanium aluminide alloys, 837

- hydrogen embrittlement in pre-deformed Ni₃Al alloy, 387
- hydrogen embrittlement of Fe₃Al alloys, 399
- incipient melting of grain boundaries in Ni₃Al alloys containing zirconium, 570
- mechanical alloying of the Ni-Al(M) (M = Ti, Fe) system, 577
- mechanical properties and high-temperature deformation behaviour of particle-strengthened NiAl alloys, 817
- mechanical properties and microstructural characterization of a superplastic TiAl alloy, 733
- microstructural control for ductilization of multi-phase alloys based on B2 CoAl, 748
- microstructure and mechanical properties of a PM TiAl-W alloy processed by hot isostatic pressing, 957
- microstructure and mechanical properties of Mg_{33-x}Si_xNi₆₇ intermetallic composite alloys, 59
- microstructure in chill-cast Al₃Ti-based Al-Ti-V ternary alloys, 233
- NaCl-induced hot corrosion of a titanium aluminide alloy, 994
- nickel aluminide containing refractory-metal dispersoids
 - 1: Synthesis by reactive mechanical alloying, 186
- numerical simulations of stress-strain behavior in two-phase $\alpha_2 + \gamma$ lamellar TiAl alloys, 97
- phase transformations in two-phase TiAl/Ti₃Al alloys during continuous heating and cooling, studied by electrical resistivity measurements, 950
- powder metallurgy processing and properties of the ordered orthorhombic alloy Ti-22at.%Al-23at.%Nb, 597
- primary creep in a Ti-25Al-11Nb alloy, 756
- reaction sintering of Nb-Ni-Al intermetallic alloys, 549
- reaction synthesis of Fe-Al alloys, 544
- shape memory properties of a two-phase NiAl plus Fe alloy, 873
- solidification processing of high temperature intermetallic eutectic-based alloys, 534
- surface cracking during creep of a Ti-25Al-11Nb alloy, 763
- synthesis of intermetallics by mechanical alloying, 612
- synthesis of MoSi₂ powder by mechanical alloying, 556
- the brittle-ductile transition in HIP consolidated near γ -TiAl + W and TiAl + Cr powder alloys, 324
- the origin of and contrast from antiphase domain boundaries in TiAl-based alloys, 914
- the superplastic properties of a Ti₃Al-Nb alloy, 788
- yield and fracture of lamellar γ/α_2 TiAl alloys, 340

AlNb

- microstructure and properties of fine-grained orthorhombic transformed Ti-25Al-10Nb-3V-1Mo (Super α_2) Ti aluminide, 891

Aluminides

- variation in the degree of order and its influence on mechanical behavior in complex B2 aluminides of refractory metals, 69

Aluminium

- a novel approach to intermetallic matrix composite (IMC) processing, 633

- a thermodynamic analysis of the brittleness of polycrystalline Ni_3Al alloy, 371
- a weak-beam analysis of dissociation modes of superlattice dislocations in $\text{Ni}_3(\text{Al}, \text{Ti})$, 262
- age-hardening response of B2 Ti-Al-V, 155
- anelastic and magnetic effects in Ni_3Al at ultrasonic frequencies, 255
- atomistic modelling of stoichiometry effects on dislocation core structure in NiAl, 125
- back-stress distribution along a thin twin layer in TiAl, 729
- cluster variation method approach to estimating vacancy properties in B2 type ordered NiAl and NiFeAl alloys, 930
- creep behaviour of Al-rich Fe-Al intermetallics, 240
- creep behaviour of an oxide-dispersion strengthened Ni_3Al -based alloy, 741
- creep behaviour of near γ -TiAl base alloys: effects of microstructure and alloy composition, 698
- creep behaviour of Ti_3Al -based titanium aluminide alloys containing molybdenum, 856
- creep in mechanically alloyed NiAl, 691
- cyclic crack growth in titanium aluminides, 443
- deformation and fracture behavior of a directionally solidified Ni_3Al alloy, 647
- deformation behavior of [001] Ti-56Al single crystals, 111
- development of constitutive relationships for the hot deformation of boron microalloying TiAl-Cr-V alloys, 780
- development of NiAl-based intermetallic alloys: effect of chromium addition, 356
- dislocation morphology, structure and density on (001) slip plane in $\text{Ni}_3(\text{Al}, \text{Ti})$ single crystals deformed at elevated temperatures, 769
- dislocation structure in L12 Mn-stabilized Al_3Ti deformed between 77 and 873 K, 92
- dislocation structures and deformation behavior of Ti-50/52 Al alloys between 77 and 1173 K, 217
- dissociation of $1/3\langle\bar{1}\bar{1}26\rangle\{11\bar{2}1\}$ superdislocations in Ti_3Al single crystals deformed at high temperatures, 830
- ductilization of Ni_3Al by alloying with boron and substitutional elements, 316
- effect of 900–1150 °C aging on the microstructure and mechanical properties of a DS casting Ni_3Al -base alloy IC6, 899
- effect of environment on the brittle-to-ductile transition of pre-cracked NiAl single and polycrystals, 309
- effect of microstructure on fatigue and tensile properties of the gamma TiAl alloy Ti-46.5Al-3.0Nb-2.1Cr-0.2W, 465
- effect of notches and microstructure on the fracture toughness of TiAl-based alloys, 347
- effect of pre-welding heat treatments on welding a two-phase Ni_3Al alloy, 563
- effect of rate on the fracture mechanism of TiAl, 420
- effect of refractory alloying additions on mechanical properties of near-stoichiometric NiAl, 170
- effect of silicon on elevated temperature properties of a Ti_3Al base alloy, 799
- effect of W additions to Ti-48Al-2Nb-2Cr alloys, 707
- effects of microstructure and temperature on fatigue crack growth in the TiAl alloy Ti-46.5Al-3Nb-2Cr-0.2W, 457
- effects of microstructure on the deformation and fracture of γ -TiAl alloys, 519
- effects of stress concentrations on the fatigue life of a gamma-based titanium aluminide, 427
- effects of thermal exposure on the properties of two gamma alloys, 824
- elevated temperature deformation mechanisms in Ni_3Al , 811
- environmental embrittlement and other causes of brittle grain boundary fracture in Ni_3Al , 277
- evaluation of the intermetallic compound Al_2Ti for elevated-temperature applications, 38
- experimental investigation of the fracture toughness of NiAl bicrystals combined with computer simulations, 364
- fatigue crack growth behaviour in titanium aluminides, 490
- fatigue damage accumulation in Ni_3Al and NiAl, 502
- fatigue-crack growth and fracture resistance of a two-phase ($\gamma + \alpha_2$) TiAl alloy in duplex and lamellar microstructures, 474
- fine structure of $\alpha(011)$ dislocations and the mechanical properties of NiAl in the hard orientation, 134
- formation and microstructural stability of multiphase intermetallics based on NiAl, 868
- fracture and deformation of NiAl single crystals, 268
- grain boundary precipitation of γ in γ' $\text{Ni}_3(\text{Al}, \text{Ti})$, 945
- high strain rate deformation of NiAl, 249
- high-resolution electron microscopy (HREM) examination of dislocation core structure in B2 Fe-Al single crystals, 83
- high-temperature deformation of titanium aluminide alloys, 837
- hydrogen embrittlement in pre-deformed Ni_3Al alloy, 387
- hydrogen embrittlement of Fe_3Al alloys, 399
- incipient melting of grain boundaries in Ni_3Al alloys containing zirconium, 570
- mechanical alloying of the Ni-Al(M) ($M \equiv \text{Ti}, \text{Fe}$) system, 577
- mechanical properties and high-temperature deformation behaviour of particle-strengthened NiAl alloys, 817
- mechanical properties and microstructural characterization of a superplastic TiAl alloy, 733
- mechanistic modeling of deformation and fracture behavior in TiAl and Ti_3Al , 14
- micromechanical toughness test applied to NiAl, 301
- microstructural control for ductilization of multi-phase alloys based on B2 CoAl, 748
- microstructure and mechanical properties of a PM TiAl-W alloy processed by hot isostatic pressing, 957
- microstructure and properties of a creep-resistant cast γ -titanium aluminide, 685
- microstructure and properties of Ti-48Al-2Cr after thermomechanical treatment, 226
- microstructure in chill-cast Al_3Ti -based Al-Ti-V ternary alloys, 233
- microstructure toughness relationships in fully lamellar γ -based titanium aluminides, 379
- NaCl-induced hot corrosion of a titanium aluminide alloy, 994
- nickel aluminide containing refractory-metal dispersoids
 - 1: Synthesis by reactive mechanical alloying, 186
- nickel aluminide containing refractory-metal dispersoids
 - 2: Microstructure and properties, 195
- numerical simulation of the plastic behavior of polysynthetically twinned Ti-Al crystals, 149
- numerical simulations of stress-strain behavior in two-phase $\alpha_2 + \gamma$ lamellar TiAl alloys, 97
- phase transformations in two-phase TiAl/ Ti_3Al alloys during continuous heating and cooling, studied by electrical resistivity measurements, 950
- phase-stability and decomposition processes in Ti-Al based intermetallics, 922
- plastic anisotropy and fracture behavior of cyclically deformed TiAl polysynthetically twinned crystals, 511
- powder metallurgy processing and properties of the ordered orthorhombic alloy Ti-22at.%Al-23at.%Nb, 597

- power-law creep diagram of γ -Ti-53Al intermetallics, 716
 reaction sintering of Nb-Ni-Al intermetallic alloys, 549
 reaction synthesis of Fe-Al alloys, 544
 shape memory properties of a two-phase NiAl plus Fe alloy, 873
 silicide precipitation strengthened TiAl, 774
 surface cracking during creep of a Ti-25Al-11Nb alloy, 763
 tensile properties of W/Ni₃Al composites at elevated temperatures, 848
 tensile tests of Fe₇₀Al₃₀ in a TEM in the temperature range of the yield stress anomaly, 793
 the brittle-ductile transition in HIP consolidated near γ -TiAl + W and TiAl + Cr powder alloys, 324
 the effect of chromium additions on the mechanical properties of Ni-25Al-27.5Fe-based intermetallic compounds, 204
 the effects of chromium addition and heat treatment on the microstructure and tensile properties of Fe-24Al(at.%), 165
 the effects of heat treatment and purity on the mechanical properties of monocrystalline NiAl, 333
 the microstructure and creep behaviour of Ti-25Al-10Nb-3V-1Mo (super α_2), 722
 the origin of and contrast from antiphase domain boundaries in TiAl-based alloys, 914
 the prospects for joining titanium aluminides, 640
 the structure, bonding and chemistry of grain boundaries in Ni₃Al, 936
 the superplastic properties of a Ti₃Al-Nb alloy, 788
 thermal stability of an SCS-6/Ti-22Al-23Nb composite, 987
 time-temperature-transformation behavior of Ti-24Al-11Nb, 908
 two independent strain hardening mechanisms in single-crystal γ -Ti-56Al compound, 211
 weak grain boundaries in Ni₃Al, 394
 yield and fracture of lamellar γ/α_2 TiAl alloys, 340
- Anelastic effects
 anelastic and magnetic effects in Ni₃Al at ultrasonic frequencies, 255
- B2 compounds
 a review of the mechanical properties of B2 compounds, 1
- Bond character
 structural mapping of intermetallic compounds and bond character, 77
- Boron
 development of constitutive relationships for the hot deformation of boron microalloying TiAl-Cr-V alloys, 780
 ductilization of Ni₃Al by alloying with boron and substitutional elements, 316
 environmental embrittlement and grain boundary segregation of boron and carbon in Ni₃(Si, Ti) alloys, 407
 oxidation-resistant boron- and germanium-doped silicide coatings for refractory metals at high temperature, 980
- Brittle-to-ductile transition
 dislocation generation instability and the brittle-to-ductile transition, 435
- Brittleness
 a thermodynamic analysis of the brittleness of polycrystalline Ni₃Al alloy, 371
 effect of hydrogen-solute interaction on environmental embrittlement of ordered intermetallics, 413
 environmental embrittlement and other causes of brittle grain boundary fracture in Ni₃Al, 277
 hydrogen embrittlement in pre-deformed Ni₃Al alloy, 387
- Carbon
 effect of carbon addition on the creep of molybdenum disilicide composites, 862
 environmental embrittlement and grain boundary segregation of boron and carbon in Ni₃(Si, Ti) alloys, 407
- Chlorine
 NaCl-induced hot corrosion of a titanium aluminide alloy, 994
- Chromium
 a novel approach to intermetallic matrix composite (IMC) processing, 633
 a preliminary assessment of the properties of a chromium silicide alloy for aerospace applications, 583
 development of constitutive relationships for the hot deformation of boron microalloying TiAl-Cr-V alloys, 780
 development of NiAl-based intermetallic alloys: effect of chromium addition, 356
 effect of microstructure on fatigue and tensile properties of the gamma TiAl alloy Ti-46.5Al-3.0Nb-2.1Cr-0.2W, 465
 effect of W additions to Ti-48Al-2Nb-2Cr alloys, 707
 effects of microstructure and temperature on fatigue crack growth in the TiAl alloy Ti-46.5Al-3Nb-2Cr-0.2W, 457
 high temperature mechanical properties of C15 Laves phase Cr₂Nb intermetallics, 805
 microstructure and properties of Ti-48Al-2Cr after thermo-mechanical treatment, 226
 the brittle-ductile transition in HIP consolidated near γ -TiAl + W and TiAl + Cr powder alloys, 324
 the effect of chromium additions on the mechanical properties of Ni-25Al-27.5Fe-based intermetallic compounds, 204
 the effects of chromium addition and heat treatment on the microstructure and tensile properties of Fe-24Al(at.%), 165
- Cluster variation
 cluster variation method approach to estimating vacancy properties in B2 type ordered NiAl and NiFeAl alloys, 930
- Cobalt
 microstructural control for ductilization of multi-phase alloys based on B2 CoAl, 748
- Composites
 effect of carbon addition on the creep of molybdenum disilicide composites, 862
 in-situ refractory intermetallic-based composites, 658
 mechanical behavior of MoSi₂ and MoSi₂ composites, 31
 microstructure and mechanical properties of Mg_{33-x}Si_xNi₆₇ intermetallic composite alloys, 59
 processing, structure and properties of metal-intermetallic layered composites, 624
 tensile properties of W/Ni₃Al composites at elevated temperatures, 848
 thermal stability of an SCS-6/Ti-22Al-23Nb composite, 987
- Computer simulations
 experimental investigation of the fracture toughness of NiAl bicrystals combined with computer simulations, 364
- Corrosion
 NaCl-induced hot corrosion of a titanium aluminide alloy, 994
- Cracking
 cyclic crack growth in titanium aluminides, 443
 effect of environment on the brittle-to-ductile transition of pre-cracked NiAl single and polycrystals, 309
 fatigue crack growth behaviour in titanium aluminides, 490
 fatigue-crack growth and fracture resistance of a two-phase ($\gamma + \alpha_2$) TiAl alloy in duplex and lamellar microstructures, 474
 surface cracking during creep of a Ti-25Al-11Nb alloy, 763

Creep

- creep behaviour of Al-rich Fe-Al intermetallics, 240
- creep behaviour of an oxide-dispersion strengthened Ni₃Al-based alloy, 741
- creep behaviour of near γ -TiAl base alloys: effects of microstructure and alloy composition, 698
- creep behaviour of Ti₃Al-based titanium aluminide alloys containing molybdenum, 856
- creep in mechanically alloyed NiAl, 691
- effect of carbon addition on the creep of molybdenum disilicide composites, 862
- microstructure and properties of a creep-resistant cast γ -titanium aluminide, 685
- power-law creep diagram of γ -Ti-53Al intermetallics, 716
- primary creep in a Ti-25Al-11Nb alloy, 756
- surface cracking during creep of a Ti-25Al-11Nb alloy, 763
- the microstructure and creep behaviour of Ti-25Al-10Nb-3V-1Mo (super α_2), 722
- theory of transient creep in the L12 intermetallic compounds displaying the yield strength anomaly, 120

Crystals

- a thermodynamic analysis of the brittleness of polycrystalline Ni₃Al alloy, 371
- deformation behavior of [001] Ti-56Al single crystals, 111
- dislocation morphology, structure and density on (001) slip plane in Ni₃(Al,Ti) single crystals deformed at elevated temperatures, 769
- dissociation of $1/3\langle\bar{1}\bar{1}26\rangle\{11\bar{2}1\}$ superdislocations in Ti₃Al single crystals deformed at high temperatures, 830
- effect of environment on the brittle-to-ductile transition of pre-cracked NiAl single and polycrystals, 309
- experimental investigation of the fracture toughness of NiAl bicrystals combined with computer simulations, 364
- fracture and deformation of NiAl single crystals, 268
- high-resolution electron microscopy (HREM) examination of dislocation core structure in B2 Fe-Al single crystals, 83
- numerical simulation of the plastic behavior of Polysynthetically twinned Ti-Al crystals, 149
- plastic anisotropy and fracture behavior of cyclically deformed TiAl polysynthetically twinned crystals, 511
- the effects of heat treatment and purity on the mechanical properties of monocrystalline NiAl, 333
- two independent strain hardening mechanisms in single-crystal γ -Ti-56Al compound, 211

Damage

- fatigue damage accumulation in Ni₃Al and NiAl, 502

Decomposition

- phase-stability and decomposition processes in Ti-Al based intermetallics, 922

Defects

- calculation of lattice defects in structural intermetallics by first-principles tight binding approach, 104
- defect modelling: the need for angularly dependent potentials, 24

Deformation

- deformation and fracture behavior of a directionally solidified Ni₃Al alloy, 647
- deformation behavior of [001] Ti-56Al single crystals, 111
- deformation behaviour in L10-type FePt compound, 53
- development of constitutive relationships for the hot deformation of boron microalloying TiAl-Cr-V alloys, 780
- dislocation morphology, structure and density on (001) slip plane in Ni₃(Al,Ti) single crystals deformed at elevated temperatures, 769

- dislocation structure in L12 Mn-stabilized Al₃Ti deformed between 77 and 873 K, 92
- dislocation structures and deformation behavior of Ti-50/52 Al alloys between 77 and 1173 K, 217
- dissociation of $1/3\langle\bar{1}\bar{1}26\rangle\{11\bar{2}1\}$ superdislocations in Ti₃Al single crystals deformed at high temperatures, 830
- effects of microstructure on the deformation and fracture of γ -TiAl alloys, 519
- elevated temperature deformation mechanisms in Ni₃Al, 811
- fracture and deformation of NiAl single crystals, 268
- high strain rate deformation of NiAl, 249
- high-temperature deformation of titanium aluminide alloys, 837
- hydrogen embrittlement in pre-deformed Ni₃Al alloy, 387
- mechanical properties and high-temperature deformation behaviour of particle-strengthened NiAl alloys, 817
- mechanistic modeling of deformation and fracture behavior in TiAl and Ti₃Al, 14
- microstructures of some intermetallic compounds deformed by impact loading, 289

Diffusion

- diffusional behavior in B2 intermetallic compounds, 965

Direction solidification

- effect of 900-1150 °C aging on the microstructure and mechanical properties of a DS casting Ni₃Al-base alloy IC6, 899

Dislocation

- atomistic modelling of stoichiometry effects on dislocation core structure in NiAl, 125
- behaviour of dissociated dislocations with sessile cores, 142
- dislocation generation instability and the brittle-to-ductile transition, 435
- dislocation morphology, structure and density on (001) slip plane in Ni₃(Al,Ti) single crystals deformed at elevated temperatures, 769
- dislocation structure in L12 Mn-stabilized Al₃Ti deformed between 77 and 873 K, 92
- dislocation structures and deformation behavior of Ti-50/52 Al alloys between 77 and 1173 K, 217
- dissociation of $1/3\langle\bar{1}\bar{1}26\rangle\{11\bar{2}1\}$ superdislocations in Ti₃Al single crystals deformed at high temperatures, 830
- fine structure of $\alpha\langle 011\rangle$ dislocations and the mechanical properties of NiAl in the hard orientation, 134
- high-resolution electron microscopy (HREM) examination of dislocation core structure in B2 Fe-Al single crystals, 83

Dislocations

- a weak-beam analysis of dissociation modes of superlattice dislocations in Ni₃(Al,Ti), 262

Ductility

- ductilization of Ni₃Al by alloying with boron and substitutional elements, 316
- microstructural control for ductilization of multi-phase alloys based on B2 CoAl, 748

Elevated-temperature applications

- evaluation of the intermetallic compound Al₂Ti for elevated-temperature applications, 38

Eutectics

- solidification processing of high temperature intermetallic eutectic-based alloys, 534

Fatigue

- effect of microstructure on fatigue and tensile properties of the gamma TiAl alloy Ti-46.5Al-3.0Nb-2.1Cr-0.2W, 465
- effects of microstructure and temperature on fatigue crack growth in the TiAl alloy Ti-46.5Al-3Nb-2Cr-0.2W, 457

- effects of stress concentrations on the fatigue life of a gamma-based titanium aluminide, 427
- fatigue crack growth behaviour in titanium aluminides, 490
- fatigue damage accumulation in Ni_3Al and NiAl , 502
- fatigue-crack growth and fracture resistance of a two-phase ($\gamma + \alpha_2$) TiAl alloy in duplex and lamellar microstructures, 474
- out-of-phase thermomechanical fatigue of titanium composite matrices, 483
- Fibre reinforcement
 - fibre-reinforced intermetallic compounds by physical vapour deposition, 590
- Fracture
 - deformation and fracture behavior of a directionally solidified Ni_3Al alloy, 647
 - effect of notches and microstructure on the fracture toughness of TiAl -based alloys, 347
 - effect of rate on the fracture mechanism of TiAl , 420
 - effects of microstructure on the deformation and fracture of γ - TiAl alloys, 519
 - environmental embrittlement and other causes of brittle grain boundary fracture in Ni_3Al , 277
 - experimental investigation of the fracture toughness of NiAl bicrystals combined with computer simulations, 364
 - fatigue-crack growth and fracture resistance of a two-phase ($\gamma + \alpha_2$) TiAl alloy in duplex and lamellar microstructures, 474
 - fracture and deformation of NiAl single crystals, 268
 - mechanistic modeling of deformation and fracture behavior in TiAl and Ti_3Al , 14
 - microstructure toughness relationships in fully lamellar γ -based titanium aluminides, 379
 - plastic anisotropy and fracture behavior of cyclically deformed TiAl polysynthetically twinned crystals, 511
 - yield and fracture of lamellar γ/α_2 TiAl alloys, 340
- Germanium
 - oxidation-resistant boron- and germanium-doped silicide coatings for refractory metals at high temperature, 980
- Grain boundaries
 - environmental embrittlement and grain boundary segregation of boron and carbon in $\text{Ni}_3(\text{Si}, \text{Ti})$ alloys, 407
 - grain boundary precipitation of γ in γ' $\text{Ni}_3(\text{Al}, \text{Ti})$, 945
 - the structure, bonding and chemistry of grain boundaries in Ni_3Al , 936
 - weak grain boundaries in Ni_3Al , 394
- Hardening
 - strain rate dependence of the flow stress and work hardening of γ' , 45
 - two independent strain hardening mechanisms in single-crystal γ - Ti-56Al compound, 211
- Heat treatment
 - the effects of chromium addition and heat treatment on the microstructure and tensile properties of Fe-24Al(at.%) , 165
 - the effects of heat treatment and purity on the mechanical properties of monocrystalline NiAl , 333
 - the effects of interstitial content, heat treatment, and prestrain on the tensile properties of NiAl , 179
- High temperature silicides
 - reaction synthesis of high-temperature silicides, 604
- Hot isostatic pressing
 - the brittle-ductile transition in HIP consolidated near γ - $\text{TiAl} + \text{W}$ and $\text{TiAl} + \text{Cr}$ powder alloys, 324
- Hot isostatic processing
 - microstructure and mechanical properties of a PM TiAl-W alloy processed by hot isostatic pressing, 957
- HREM
 - high-resolution electron microscopy (HREM) examination of dislocation core structure in B2 Fe-Al single crystals, 83
- Hydrogen
 - effect of hydrogen-solute interaction on environmental embrittlement of ordered intermetallics, 413
 - hydrogen embrittlement in pre-deformed Ni_3Al alloy, 387
 - hydrogen embrittlement of Fe_3Al alloys, 399
- Impact loading
 - microstructures of some intermetallic compounds deformed by impact loading, 289
- Interatomic potentials
 - defect modelling: the need for angularly dependent potentials, 24
- Intermetallics
 - a novel approach to intermetallic matrix composite (IMC) processing, 633
 - calculation of lattice defects in structural intermetallics by first-principles tight binding approach, 104
 - creep behaviour of Al-rich Fe-Al intermetallics, 240
 - defect modelling: the need for angularly dependent potentials, 24
 - development of NiAl -based intermetallic alloys: effect of chromium addition, 356
- Diffusional behavior in B2 intermetallic compounds, 965
 - effect of hydrogen-solute interaction on environmental embrittlement of ordered intermetallics, 413
 - evaluation of the intermetallic compound Al_2Ti for elevated-temperature applications, 38
 - fibre-reinforced intermetallic compounds by physical vapour deposition, 590
 - formation and microstructural stability of multiphase intermetallics based on NiAl , 868
 - high temperature mechanical properties of C15 Laves phase Cr_2Nb intermetallics, 805
 - in-situ refractory intermetallic-based composites, 658
 - microstructure and mechanical properties of $\text{Mg}_{33-x}\text{Si}_x\text{Ni}_{67}$ intermetallic composite alloys, 59
 - microstructures of some intermetallic compounds deformed by impact loading, 289
 - phase-stability and decomposition processes in Ti-Al based intermetallics, 922
 - power-law creep diagram of γ - Ti-53Al intermetallics, 716
 - processing, structure and properties of metal-intermetallic layered composites, 624
 - reaction sintering of Nb-Ni-Al intermetallic alloys, 549
 - solidification processing of high temperature intermetallic eutectic-based alloys, 534
 - some unique aspects of transmission electron microscopy and spectrometry for present and future study of intermetallic compounds, 673
 - structural mapping of intermetallic compounds and bond character, 77
 - synthesis of intermetallics by mechanical alloying, 612
 - the effect of chromium additions on the mechanical properties of Ni-25Al-27.5Fe -based intermetallic compounds, 204
 - theory of transient creep in the L12 intermetallic compounds displaying the yield strength anomaly, 120
- Iron
 - a novel approach to intermetallic matrix composite (IMC) processing, 633

- cluster variation method approach to estimating vacancy properties in B2 type ordered NiAl and NiFeAl alloys, 930
- creep behaviour of Al-rich Fe-Al intermetallics, 240
- deformation behaviour in L10-type FePt compound, 53
- high-resolution electron microscopy (HREM) examination of dislocation core structure in B2 Fe-Al single crystals, 83
- hydrogen embrittlement of Fe₃Al alloys, 399
- mechanical alloying of the Ni-Al(M) (M = Ti, Fe) system, 577
- reaction synthesis of Fe-Al alloys, 544
- shape memory properties of a two-phase NiAl plus Fe alloy, 873
- tensile tests of Fe₇₀Al₃₀ in a TEM in the temperature range of the yield stress anomaly, 793
- the effect of chromium additions on the mechanical properties of Ni-25Al-27.5Fe-based intermetallic compounds, 204
- the effects of chromium addition and heat treatment on the microstructure and tensile properties of Fe-24Al(at.%), 165
- Laves phases
 - high temperature mechanical properties of C15 Laves phase Cr₂Nb intermetallics, 805
- Magnesium
 - microstructure and mechanical properties of Mg_{33-x}Si_xNi₆₇ intermetallic composite alloys, 59
- Magnetic effects
 - anelastic and magnetic effects in Ni₃Al at ultrasonic frequencies, 255
- Manganese
 - dislocation structure in L12 Mn-stabilized Al₃Ti deformed between 77 and 873 K, 92
- Mapping
 - structural mapping of intermetallic compounds and bond character, 77
- Mechanical properties
 - a review of the mechanical properties of B2 compounds, 1
 - consolidation and mechanical properties of MoSi₂-based materials, 881
 - effect of refractory alloying additions on mechanical properties of near-stoichiometric NiAl, 170
 - fine structure of α (011) dislocations and the mechanical properties of NiAl in the hard orientation, 134
 - high temperature mechanical properties of C15 Laves phase Cr₂Nb intermetallics, 805
 - mechanical properties and microstructural characterization of a superplastic TiAl alloy, 733
 - the effects of heat treatment and purity on the mechanical properties of monocrystalline NiAl, 333
 - variation in the degree of order and its influence on mechanical behavior in complex B2 aluminides of refractory metals, 69
- Metals
 - processing, structure and properties of metal-intermetallic layered composites, 624
- Microstructure
 - the effects of chromium addition and heat treatment on the microstructure and tensile properties of Fe-24Al(at.%), 165
- Molybdenum
 - consolidation and mechanical properties of MoSi₂-based materials, 881
 - creep behaviour of Ti₃Al-based titanium aluminide alloys containing molybdenum, 856
 - effect of carbon addition on the creep of molybdenum disilicide composites, 862
 - mechanical behavior of MoSi₂ and MoSi₂ composites, 31
 - microstructure and properties of fine-grained orthorhombic transformed Ti-25Al-10Nb-3V-1Mo (Super α_2) Ti aluminide, 891
 - synthesis of MoSi₂ powder by mechanical alloying, 556
 - the microstructure and creep behaviour of Ti-25Al-10Nb-3V-1Mo (super α_2), 722
- Nickel
 - a novel approach to intermetallic matrix composite (IMC) processing, 633
 - a thermodynamic analysis of the brittleness of polycrystalline Ni₃Al alloy, 371
 - a weak-beam analysis of dissociation modes of superlattice dislocations in Ni₃(Al, Ti), 262
 - anelastic and magnetic effects in Ni₃Al at ultrasonic frequencies, 255
 - atomistic modelling of stoichiometry effects on dislocation core structure in NiAl, 125
 - cluster variation method approach to estimating vacancy properties in B2 type ordered NiAl and NiFeAl alloys, 930
 - creep behaviour of an oxide-dispersion strengthened Ni₃Al-based alloy, 741
 - creep in mechanically alloyed NiAl, 691
 - deformation and fracture behavior of a directionally solidified Ni₃Al alloy, 647
 - development of NiAl-based intermetallic alloys: effect of chromium addition, 356
 - dislocation morphology, structure and density on (001) slip plane in Ni₃(Al, Ti) single crystals deformed at elevated temperatures, 769
 - ductilization of Ni₃Al by alloying with boron and substitutional elements, 316
 - effect of 900-1150 °C aging on the microstructure and mechanical properties of a DS casting Ni₃Al-base alloy IC6, 899
 - effect of environment on the brittle-to-ductile transition of pre-cracked NiAl single and polycrystals, 309
 - effect of pre-welding heat treatments on welding a two-phase Ni₃Al alloy, 563
 - effect of refractory alloying additions on mechanical properties of near-stoichiometric NiAl, 170
 - elevated temperature deformation mechanisms in Ni₃Al, 811
 - environmental embrittlement and grain boundary segregation of boron and carbon in Ni₃(Si, Ti) alloys, 407
 - environmental embrittlement and other causes of brittle grain boundary fracture in Ni₃Al, 277
 - experimental investigation of the fracture toughness of NiAl bicrystals combined with computer simulations, 364
 - fatigue damage accumulation in Ni₃Al and NiAl, 502
 - fine structure of α (011) dislocations and the mechanical properties of NiAl in the hard orientation, 134
 - formation and microstructural stability of multiphase intermetallics based on NiAl, 868
 - fracture and deformation of NiAl single crystals, 268
 - grain boundary precipitation of γ in γ' Ni₃(Al, Ti), 945
 - high strain rate deformation of NiAl, 249
 - hydrogen embrittlement in pre-deformed Ni₃Al alloy, 387
 - incipient melting of grain boundaries in Ni₃Al alloys containing zirconium, 570
 - mechanical alloying of the Ni-Al(M) (M = Ti, Fe) system, 577
 - mechanical properties and high-temperature deformation behaviour of particle-strengthened NiAl alloys, 817
 - micromechanical toughness test applied to NiAl, 301
 - microstructure and mechanical properties of Mg_{33-x}Si_xNi₆₇ intermetallic composite alloys, 59

- nickel aluminide containing refractory-metal dispersoids
 - 1: Synthesis by reactive mechanical alloying, 186
- nickel aluminide containing refractory-metal dispersoids
 - 2: Microstructure and properties, 195
- reaction sintering of Nb-Ni-Al intermetallic alloys, 549
- shape memory properties of a two-phase NiAl plus Fe alloy, 873
- tensile properties of W/Ni₃Al composites at elevated temperatures, 848
- the effect of chromium additions on the mechanical properties of Ni-25Al-27.5Fe-based intermetallic compounds, 204
- the effects of heat treatment and purity on the mechanical properties of monocrystalline NiAl, 333
- the effects of interstitial content, heat treatment, and prestrain on the tensile properties of NiAl, 179
- the structure, bonding and chemistry of grain boundaries in Ni₃Al, 936
- weak grain boundaries in Ni₃Al, 394
- Niobium
 - effect of microstructure on fatigue and tensile properties of the gamma TiAl alloy Ti-46.5Al-3.0Nb-2.1Cr-0.2W, 465
 - effect of W additions to Ti-48Al-2Nb-2Cr alloys, 707
 - effects of microstructure and temperature on fatigue crack growth in the TiAl alloy Ti-46.5Al-3Nb-2Cr-0.2W, 457
 - high temperature mechanical properties of C15 Laves phase Cr₂Nb intermetallics, 805
 - powder metallurgy processing and properties of the ordered orthorhombic alloy Ti-22at.%Al-23at.%Nb, 597
 - primary creep in a Ti-25Al-11Nb alloy, 756
 - reaction sintering of Nb-Ni-Al intermetallic alloys, 549
 - surface cracking during creep of a Ti-25Al-11Nb alloy, 763
 - the microstructure and creep behaviour of Ti-25Al-10Nb-3V-1Mo (super α_2), 722
 - the superplastic properties of a Ti₃Al-Nb alloy, 788
 - thermal stability of an SCS-6/Ti-22Al-23Nb composite, 987
 - time-temperature-transformation behavior of Ti-24Al-11Nb, 908
- Oxide dispersion
 - creep behaviour of an oxide-dispersion strengthened Ni₃Al-based alloy, 741
- Oxygen
 - a novel approach to intermetallic matrix composite (IMC) processing, 633
- Particle strengthening
 - mechanical properties and high-temperature deformation behaviour of particle-strengthened NiAl alloys, 817
- Phase boundaries
 - the origin of and contrast from antiphase domain boundaries in TiAl-based alloys, 914
- Phase stability
 - phase-stability and decomposition processes in Ti-Al based intermetallics, 922
- Phase transformations
 - phase transformations in two-phase TiAl/Ti₃Al alloys during continuous heating and cooling, studied by electrical resistivity measurements, 950
- Physical vapour deposition
 - fibre-reinforced intermetallic compounds by physical vapour deposition, 590
- Plasticity
 - mechanical properties and microstructural characterization of a superplastic TiAl alloy, 733
 - numerical simulation of the plastic behavior of polysynthetically twinned Ti-Al crystals, 149
 - plastic anisotropy and fracture behavior of cyclically deformed TiAl polysynthetically twinned crystals, 511
 - the superplastic properties of a Ti₃Al-Nb alloy, 788
- Platinum
 - deformation behaviour in L10-type FePt compound, 53
- Powder metallurgy
 - powder metallurgy processing and properties of the ordered orthorhombic alloy Ti-22at.%Al-23at.%Nb, 597
- Precipitation
 - grain boundary precipitation of γ in γ' Ni₃(Al,Ti), 945
 - silicide precipitation strengthened TiAl, 774
- Refractory metals
 - in-situ refractory intermetallic-based composites, 658
 - nickel aluminide containing refractory-metal dispersoids
 - 2: Microstructure and properties, 195
 - nickel aluminide containing refractory-metal dispersoids
 - 1: Synthesis by reactive mechanical alloying, 186
 - oxidation-resistant boron- and germanium-doped silicide coatings for refractory metals at high temperature, 980
 - variation in the degree of order and its influence on mechanical behavior in complex B2 aluminides of refractory metals, 69
- Sessile cores
 - behaviour of dissociated dislocations with sessile cores, 142
- Shape memory alloys
 - shape memory properties of a two-phase NiAl plus Fe alloy, 873
- Silicon
 - a preliminary assessment of the properties of a chromium silicide alloy for aerospace applications, 583
 - consolidation and mechanical properties of MoSi₂-based materials, 881
 - effect of carbon addition on the creep of molybdenum disilicide composites, 862
 - effect of silicon on elevated temperature properties of a Ti₃Al base alloy, 799
 - environmental embrittlement and grain boundary segregation of boron and carbon in Ni₃(Si,Ti) alloys, 407
 - mechanical behavior of MoSi₂ and MoSi₂ composites, 31
 - microstructure and mechanical properties of Mg_{33-x}Si_xNi₆₇ intermetallic composite alloys, 59
 - oxidation-resistant boron- and germanium-doped silicide coatings for refractory metals at high temperature, 980
 - reaction synthesis of high-temperature silicides, 604
 - silicide precipitation strengthened TiAl, 774
 - synthesis of MoSi₂ powder by mechanical alloying, 556
- Sintering
 - reaction sintering of Nb-Ni-Al intermetallic alloys, 549
- Sodium
 - NaCl-induced hot corrosion of a titanium aluminide alloy, 994
- Solidification
 - solidification processing of high temperature intermetallic eutectic-based alloys, 534
- Spectrometry
 - some unique aspects of transmission electron microscopy and spectrometry for present and future study of intermetallic compounds, 673
- Strain
 - high strain rate deformation of NiAl, 249
 - numerical simulations of stress-strain behavior in two-phase $\alpha_2 + \gamma$ lamellar TiAl alloys, 97
 - strain rate dependence of the flow stress and work hardening of γ' , 45

- two independent strain hardening mechanisms in single-crystal γ -Ti-56Al compound, 211
- Stress**
- effects of stress concentrations on the fatigue life of a gamma-based titanium aluminide, 427
 - numerical simulations of stress-strain behavior in two-phase $\alpha_2 + \gamma$ lamellar TiAl alloys, 97
 - strain rate dependence of the flow stress and work hardening of γ' , 45
 - tensile tests of Fe₇₀Al₃₀ in a TEM in the temperature range of the yield stress anomaly, 793
- Superlattices**
- a weak-beam analysis of dissociation modes of superlattice dislocations in Ni₃(Al, Ti), 262
- Tensile properties**
- effect of microstructure on fatigue and tensile properties of the gamma TiAl alloy Ti-46.5Al-3.0Nb-2.1Cr-0.2W, 465
 - the effects of chromium addition and heat treatment on the microstructure and tensile properties of Fe-24Al(at.%), 165
 - the effects of interstitial content, heat treatment, and prestrain on the tensile properties of NiAl, 179
- Tensile testing**
- tensile tests of Fe₇₀Al₃₀ in a TEM in the temperature range of the yield stress anomaly, 793
- Thermal exposure**
- effects of thermal exposure on the properties of two gamma alloys, 824
- Thermomechanics**
- microstructure and properties of Ti-48Al-2Cr after thermomechanical treatment, 226
 - out-of-phase thermomechanical fatigue of titanium composite matrices, 483
- Tight binding**
- calculation of lattice defects in structural intermetallics by first-principles tight binding approach, 104
- Time-temperature-transformation**
- time-temperature-transformation behavior of Ti-24Al-11Nb, 908
- Titanium**
- a weak-beam analysis of dissociation modes of superlattice dislocations in Ni₃(Al, Ti), 262
 - age-hardening response of B2 Ti-Al-V, 155
 - back-stress distribution along a thin twin layer in TiAl, 729
 - creep behaviour of near γ -TiAl base alloys: effects of microstructure and alloy composition, 698
 - creep behaviour of Ti₃Al-based titanium aluminide alloys containing molybdenum, 856
 - cyclic crack growth in titanium aluminides, 443
 - deformation behavior of [001] Ti-56Al single crystals, 111
 - development of constitutive relationships for the hot deformation of boron microalloying TiAl-Cr-V alloys, 780
 - dislocation morphology, structure and density on (001) slip plane in Ni₃(Al, Ti) single crystals deformed at elevated temperatures, 769
 - dislocation structure in L12 Mn-stabilized Al₃Ti deformed between 77 and 873 K, 92
 - dislocation structures and deformation behavior of Ti-50/52 Al alloys between 77 and 1173 K, 217
 - dissociation of $1/3\langle 11\bar{2}6 \rangle\{11\bar{2}1\}$ superdislocations in Ti₃Al single crystals deformed at high temperatures, 830
 - effect of microstructure on fatigue and tensile properties of the gamma TiAl alloy Ti-46.5Al-3.0Nb-2.1Cr-0.2W, 465
 - effect of notches and microstructure on the fracture toughness of TiAl-based alloys, 347
 - effect of rate on the fracture mechanism of TiAl, 420
 - effect of silicon on elevated temperature properties of a Ti₃Al base alloy, 799
 - effect of W additions to Ti-48Al-2Nb-2Cr alloys, 707
 - effects of microstructure and temperature on fatigue crack growth in the TiAl alloy Ti-46.5Al-3Nb-2Cr-0.2W, 457
 - effects of microstructure on the deformation and fracture of γ -TiAl alloys, 519
 - effects of stress concentrations on the fatigue life of a gamma-based titanium aluminide, 427
 - effects of thermal exposure on the properties of two gamma alloys, 824
 - environmental embrittlement and grain boundary segregation of boron and carbon in Ni₃(Si, Ti) alloys, 407
 - evaluation of the intermetallic compound Al₂Ti for elevated-temperature applications, 38
 - fatigue crack growth behaviour in titanium aluminides, 490
 - fatigue-crack growth and fracture resistance of a two-phase ($\gamma + \alpha_2$) TiAl alloy in duplex and lamellar microstructures, 474
 - grain boundary precipitation of γ in γ' Ni₃(Al, Ti), 945
 - high-temperature deformation of titanium aluminide alloys, 837
 - mechanical alloying of the Ni-Al(M) (M = Ti, Fe) system, 577
 - mechanical properties and microstructural characterization of a superplastic TiAl alloy, 733
 - mechanistic modeling of deformation and fracture behavior in TiAl and Ti₃Al, 14
 - microstructure and mechanical properties of a PM TiAl-W alloy processed by hot isostatic pressing, 957
 - microstructure and properties of a creep-resistant cast γ -titanium aluminide, 685
 - microstructure and properties of fine-grained orthorhombic transformed Ti-25Al-10Nb-3V-1Mo (Super α_2) Ti aluminide, 891
 - microstructure and properties of Ti-48Al-2Cr after thermomechanical treatment, 226
 - microstructure in chill-cast Al₃Ti-based Al-Ti-V ternary alloys, 233
 - microstructure toughness relationships in fully lamellar γ -based titanium aluminides, 379
 - NaCl-induced hot corrosion of a titanium aluminide alloy, 994
 - numerical simulation of the plastic behavior of polysynthetically twinned Ti-Al crystals, 149
 - numerical simulations of stress-strain behavior in two-phase $\alpha_2 + \gamma$ lamellar TiAl alloys, 97
 - out-of-phase thermomechanical fatigue of titanium composite matrices, 483
 - phase transformations in two-phase TiAl/Ti₃Al alloys during continuous heating and cooling, studied by electrical resistivity measurements, 950
 - phase-stability and decomposition processes in Ti-Al based intermetallics, 922
 - plastic anisotropy and fracture behavior of cyclically deformed TiAl polysynthetically twinned crystals, 511
 - powder metallurgy processing and properties of the ordered orthorhombic alloy Ti-22at.%Al-23at.%Nb, 597
 - power-law creep diagram of γ -Ti-53Al intermetallics, 716
 - primary creep in a Ti-25Al-11Nb alloy, 756
 - silicide precipitation strengthened TiAl, 774
 - surface cracking during creep of a Ti-25Al-11Nb alloy, 763
 - the brittle-ductile transition in HIP consolidated near γ -TiAl + W and TiAl + Cr powder alloys, 324

- the microstructure and creep behaviour of Ti-25Al-10Nb-3V-1Mo (super α_2), 722
- the origin of and contrast from antiphase domain boundaries in TiAl-based alloys, 914
- the prospects for joining titanium aluminides, 640
- the superplastic properties of a Ti₃Al-Nb alloy, 788
- thermal stability of an SCS-6/Ti-22Al-23Nb composite, 987
- time-temperature-transformation behavior of Ti-24Al-11Nb, 908
- two independent strain hardening mechanisms in single-crystal γ -Ti-56Al compound, 211
- yield and fracture of lamellar γ/α_2 TiAl alloys, 340
- Toughness**
- micromechanical toughness test applied to NiAl, 301
- Transmission electron microscopy**
- some unique aspects of transmission electron microscopy and spectrometry for present and future study of intermetallic compounds, 673
- Transmission electron microscopy**
- tensile tests of Fe₇₀Al₃₀ in a TEM in the temperature range of the yield stress anomaly, 793
- Tungsten**
- effect of W additions to Ti-48Al-2Nb-2Cr alloys, 707
- effects of microstructure and temperature on fatigue crack growth in the TiAl alloy Ti-46.5Al-3Nb-2Cr-0.2W, 457
- microstructure and mechanical properties of a PM TiAl-W alloy processed by hot isostatic pressing, 957
- tensile properties of W/Ni₃Al composites at elevated temperatures, 848
- the brittle-ductile transition in HIP consolidated near γ -TiAl + W and TiAl + Cr powder alloys, 324
- Twinning**
- back-stress distribution along a thin twin layer in TiAl, 729
- Ultrasonic frequencies**
- anelastic and magnetic effects in Ni₃Al at ultrasonic frequencies, 255
- Vanadium**
- age-hardening response of B2 Ti-Al-V, 155
- development of constitutive relationships for the hot deformation of boron microalloying TiAl-Cr-V alloys, 780
- microstructure and properties of fine-grained orthorhombic transformed Ti-25Al-10Nb-3V-1Mo (Super α_2) Ti aluminide, 891
- microstructure in chill-cast Al₃Ti-based Al-Ti-V ternary alloys, 233
- the microstructure and creep behaviour of Ti-25Al-10Nb-3V-1Mo (super α_2), 722
- Welding**
- effect of pre-welding heat treatments on welding a two-phase Ni₃Al alloy, 563
- Yield strength**
- theory of transient creep in the L12 intermetallic compounds displaying the yield strength anomaly, 120
- yield and fracture of lamellar γ/α_2 TiAl alloys, 340
- Zirconium**
- incipient melting of grain boundaries in Ni₃Al alloys containing zirconium, 570

